

Fiber-Stat® with FOS + Prune Juice Concentrate helps maintain bowel regularity.

- Helps reduce or eliminate laxative use
- Provides 60% of Daily Value for fiber
- Stimulates the growth of beneficial bacteria in the colon
- Ideal for fluid restricted residents
- No mixing or dissolving needed
- Can be added to any food or beverage
- Can be administered via feeding tube
- Suitable for diabetics

Indications: Low fiber intake, irregularity, management of chronic / occasional constipation, irritable bowel syndrome, and diverticulitis. Use orally or with tube feeding.

Directions: Take two tablespoons (30 ml) one or two times a day as needed. Can be mixed with any hot or cold prepared beverages or food. Do not consume more than four tablespoons (60 ml) per day.



Fiber-Stat®

For bowel regularity and colon health

Fiber-Stat®
With FOS + Prune Juice Concentrate



One Ounce

15 g of Soluble Fiber per oz with FOS + Prune Juice Concentrate

- Provides 60% of Daily Value for fiber
- Improves regularity and colon health
- Does not interfere with drug/nutrient absorption

Natural Flavor
(887 ml) 30 oz.

NUTRITION FACTS

Serving Size: 30 ml (2 tablespoons)
Servings per Container: 30

Amount Per Serving		% Daily Value*
Calories ^{††}	24	
Calories from Fat	0	
Total Carbohydrate	18 g	8%
Sugar	3 g	**
Dietary Fiber	15 g	60%
Soluble Fiber	15 g	**
Protein	0 g	
Sodium	14.5 mg	<1%
Potassium	16.2 mg	<1%
Phosphorus	5.9 mg	<1%

*Percent Daily Values are based on a 2,000-calorie diet.
**Daily value not established.

Ingredients: Filtered Water, Polydextrose (soluble dietary fiber), Fructo-oligosaccharides (FOS), Prune Juice Concentrate, Glycerin, Potassium Sorbate, Citric Acid, Sodium Benzoate.

^{††}Polydextrose has one calorie per gram.

Lactose and Gluten Free.

Warnings: Do not use if intestinal obstruction, fecal impaction or known allergy to any component is present.

Do Not Refrigerate. Store and serve at room temperature. Discard three (3) months after opening. Record date opened on bottom of container.

Fiber-Stat® is a medical food. Consult your physician if abdominal pain, nausea, rectal bleeding or vomiting are present or if a sudden change in bowel habits persists over a period of two weeks, as these may be symptoms of a serious medical condition.

Do not consume more than four tablespoons (60 ml) per day.

Do Not Use If Seal Is Broken.

Item # 70001 NDC: 26974-0410-70
HCPCS: B4104

Medical Nutrition USA™

Distributed by:
Medical Nutrition USA, Inc.,
Englewood, NJ 07631
1.800.221.0308 • www.fiber-stat.info
Copyright ©2009 Medical Nutrition USA, Inc.

0 26974 41070 6